TITLE: Preparation of pyrazoles and analogs as PPAR

modulators for treatment of metabolic disorders,

diabetes mellitus, atherosclerosis, and cardiovascular

disorders

INVENTOR(S):

Conner, Scott Eugene; Ma, Tianwei; Mantlo, Nathan Bryan; Mayhugh, Daniel Ray; Schkeryantz, Jeffrey Michael; Warshawsky, Alan M.; Zhu, Guoxin

PATENT ASSIGNEE(S): Eli Lilly and Company, USA

SOURCE:

PR

PCT Int. Appl., 214 pp.

CODEN: PIXXD2 DOCUMENT TYPE:

Patent

LANGUAGE:

English

PATENT INFORMATION:

FAMILY ACC. NUM. COUNT: 2

	PATENT NO.					KIN	D	DATE			APPLICATION NO.					DATE			
					A1	-	20040729		WO 2003-US39119				20031231						
		W:	ΑE,	AG,	AL,	AM,	AT,	AU,	AZ,	BA,	BB,	BG,	BR,	BW,	BY,	BZ,	CA,	CH,	
			CN,	co,	CR,	CU,	CZ,	DE,	DK,	DM,	DZ,	EC,	EE,	EG,	ES,	FI,	GB,	GD,	
			GE,	GH,	GM,	HR,	HU,	ID,	IL,	IN,	IS,	JP,	KE,	KG,	KP,	KR,	KZ,	LC,	
			LK,	LR,	LS,	LT,	LU,	LV,	MA,	MD,	MG,	MK,	MN,	MW,	MX,	MZ,	NI,	NO,	
			NZ,	OM,	PG,	PH,	PL,	PT,	RO,	RU,	SC,	SD,	SE,	SG,	SK,	SL,	SY,	TJ,	
			TM,	TN,	TR,	TT,	TZ,	UA,	UG,	US,	UZ,	VC,	VN,	YU,	ZA,	ZM,	ZW		
		RW:	BW,	GH,	GM,	KE,	LS,	MW,	MZ,	SD,	SL,	SZ,	TZ,	UG,	ZM,	ZW,	AM,	AZ,	
			BY,	KG,	KZ,	MD,	RU,	ΤJ,	TM,	AT,	BE,	BG,	CH,	CY,	CZ,	DE,	DK,	EE,	
			ES,	FI,	FR,	GB,	GR,	HU,	IE,	IT,	LU,	MC,	NL,	PT,	RO,	SE,	SI,	SK,	
			TR,	BF,	BJ,	CF,	CG,	CI,	CM,	GA,	GN,	GQ,	GW,	ML,	MR,	NE,	SN,	TD,	TG
	AU 2003296404				A1 20040810				AU 2003-296404					20031231					
	EP	1585733				A1 20051019			EP 2003-815195					20031231					
		R:	AT,	BE,	CH,	DE,	DK,	ES,	FR,	GB,	GR,	IT,	LI,	LU,	NL,	SE,	MC,	PT,	
			ΙE,	SI,	LT,	LV,	FI,	RO,	MK,	CY,	AL,	BG,	CZ,	EE,	HU,	SK			
	US 20060241157				A1	A1 20061026				US 2005-540341				20050621					
10	ORITY APPLN. INFO.:										US 2003-438563P			P 20030106					
											WO 2	003-	US39	119		W 2	0031	231	

OTHER SOURCE(S): MARPAT 141:157111 GI

Title pyrazoles, imidazoles, and (is)oxazoles I [wherein R1 = H, AB (un) substituted alkyl, alkenyl, (hetero) aryl(alkyl), arylheteroalkyl, cycloalkylaryl(alkyl); R2 = absent, (hetero)alkyl; R8 = H, alkyl, alkylenyl, halo; R9 = H, (un) substituted alkyl, alkylenyl, halo, aryl(alkyl), heteroaryl, allyl, alkoxy, alkylthio, etc.; R10, R11 = independently H, OH, CN, NO2, halo, oxo, (un) substituted (halo) alkyl, alkoxy, cycloalkyl, (hetero) aryl(alkyl), cycloalkylaryl(alkyl), aryloxy, acyl, carboxy, amino, sulfamoyl, etc.; R32 = bond, H, halo, (halo)alkyl, alkyloxo; E = (un)substituted carboxy(methyl), tetrazolyl(methyl), nitriloalkyl, carboxamido(methyl), sulfonamido(methyl); U = (un)substituted aliphatic linker wherein one C of the linker is optionally replaced with O, NH, or S; X = bond, O, S, SO2, NH; Y = bond, CH2, NH; Z1, Z2 = independently N, O, C, whit the proviso that at least one of Z1 and Z2 = N; Z3 = N, O, C; or stereoisomers, pharmaceutically acceptable salts, solvates, and hydrates thereof] were prepared as peroxisome proliferator activated receptor (PPAR) modulators (no data). For example, chlorination of [3-methyl-1-(4-trifluoromethylphenyl)-1H-pyrazol-4-yllmethanol with MeSO2Cl and TEA in CH2Cl2, followed by coupling with (4-hydroxy-2- methylphenoxy)acetic acid Me ester using Cs2CO3 in acetonitrile and saponification with NaOH in MeOH provided II. I and their pharmaceutical compns. are expected to be effective in treating and preventing metabolic disorders, diabetes mellitus, atherosclerosis, and cardiovascular disorders (no data).

728913-16-4P, 2-Methyl-2-[4-[2-[3-methyl-1-(4-

trifluoromethylphenyl)-1H-pyrazol-4-yl]propyl]phenoxy]propionic acid 728914-84-9F, [4-[2-[3-Methyl-1-(4-trifluoromethylphenyl)-1Hpyrazol-4-vl]ethyl]phenoxylacetic acid 728914-85-0P. 2-Methyl-2-[4-[2-[3-methyl-1-(4-trifluoromethylphenyl)-1H-pyrazol-4yl]ethyl]phenoxy]propionic acid 723914-86-1P, [4-[2-[3-Methyl-1-(4-trifluoromethylphenyl)-1H-pyrazol-4yl]propyl]phenoxy]acetic acid

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(PPAR modulator; preparation of pyrazoles and analogs as PPAR modulators

for

treatment of metabolic disorders, diabetes, atherosclerosis, and cardiovascular disorders)

RN 728913-16-4 CAPLUS

CN Propanoic acid, 2-methyl-2-[4-[2-[3-methyl-1-[4-(trifluoromethyl)phenyl]-1H-pyrazol-4-vl|propyl|phenoxy|- (CA INDEX NAME)

PAGE 1-A

PAGE 2-A

Мe

RN 728914-84-9 CAPLUS

CN Acetic acid, 2-[4-[2-[3-methyl-1-[4-(trifluoromethyl)phenyl]-1H-pyrazol-4-yl]ethyl]phenoxy]- (CA INDEX NAME)

RN 728914-85-0 CAPLUS

CN Propanoic acid, 2-methyl-2-[4-[2-[3-methyl-1-[4-(trifluoromethyl)phenyl]- lH-pyrazol-4-yl]ethyl]phenoxyl- (CA INDEX NAME)

PAGE 2-A

RN 728914-86-1 CAPLUS

CN Acetic acid, 2-[4-[2-[3-methyl-1-[4-(trifluoromethyl)phenyl]-1H-pyrazol-4yl]propyl]phenoxy]- (CA INDEX NAME)

IT 723914-90-7F, [4-[2-[3-Methyl-1-(4-trifluoromethylphenyl)-1Hpyrazol-4-yllpropyllphenoxylacetic acid methyl ester
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
(Reactant or reagent)

(intermediate; preparation of pyrazoles and analogs as PPAR modulators for treatment of metabolic disorders, diabetes, atherosclerosis, and cardiovascular disorders)

- RN 728914-90-7 CAPLUS
- CN Acetic acid, 2-[4-[2-[3-methyl-1-[4-(trifluoromethyl)phenyl]-1H-pyrazol-4-yl]propyl]phenoxy]-, methyl ester (CA INDEX NAME)

PAGE 1-A

PAGE 2-A